








# WAITANGI STREAM REMEDIATION AND EROSION PROTECTION

# **ISSUED FOR TENDER**



	DRAWING INDEX	(	
No.	TITLE	REV	ISSUE DATE
	000	I	ı
000	SITE LOCATION AND DRAWING INDEX	0	MAR 18
	100	·	
101	EXISTING SITE PLAN	0	MAR 18
102	STREAM WORKS PLAN	0	MAR 18
	200	·	
201	CROSS SECTIONS 1	0	MAR 18
202	CROSS SECTIONS 2	0	MAR 18
203	CROSS SECTIONS 3	0	MAR 18
204	CROSS SECTIONS 4	0	MAR 18
205	DROP STRUCTURE SECTION	0	MAR 18
206	STANDARD DETAILS	0	MAR 18
207	LONG SECTION	0	MAR 18

REF. T01552501 MAR 2018







NOTES:

. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.

2. CONTRACTOR TO PROVIDE TEMPORARY FENCING AT 341
SPENCER ROAD TO RESTRICT ALL VEHICLE ACCESS TO THE
AREA SHOWN IN YELLOW AND A MINIMUM SEPARATION
DISTANCE OF 0.5m FROM THE GARAGE & SLEEPOUT
STRUCTURES.

SOURCE:
1. DRAWING BASED ON SURVEY ONE LTD. AS AT 13/11/2017

0	ISSUED FOR TENDER		MAR 18	
Α	ISSUED FOR REVIEW		FEB 19	
NO.	REVISION		DATE	APP.
		BY	CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DRA	WN	J.H.	A.D.	JAN 18
APP	ROVED ISSUE FOR :			MAR 18
		•		

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED

COPYRIGHT ON THIS DRAWING IS RESERVED

CLIENT:



PROJECT:

**WAITANGI STREAM** REMEDIATION AND **EROSION PROTECTION** 

TITLE :


**EXISTING** SITE PLAN





PATTLE DELAMORE PARTNERS LTD

SCALE 1:500	(A3)	SHEET : OF :
PROJECT NO.:	DRAWING NO. :	REVISION:
T01552501	101	0



- 1. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
- LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- COORDINATE SYSTEM: BAY OF PLENTY 2000 LEVEL DATUM: MOTURIKI 1953 ORIGIN: IS XIX SO 56680 (GEODETIC DATABASE CODE: E8UF) RL
- 329.63M. MOTURIKI DATÙM 1953 LEVEL CALCULATED FROM NZ VERTICAL DATUM 2016 LEVEL USING THE LINZ ONLINE
- CONVERSION.
  ORIGIN OF SURVEY: LINZ GEODETIC DATABASE
- BOUNDARY DETAILS HAVE BEEN ADOPTED FROM UNDERLYING SURVEY PLANS.
- THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OF
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING
- ANY EXCAVATION.
  GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm.
- ALL GABIONS TO BE GALFAN AND PVC COATED. 10. CONTRACTOR TO CONFIRM LAYOUT OF STRUCTURES TO
- ACHIEVE THE SECTIONS SHOWN IN SHEET 201 TO SHEET 202.
- 1. ALL RIP RAP TO MEET MINIMUM DENSITY & SIZING

SOURCE: 1. DRAWING BASED ON SURVEY ONE LTD. AS AT 13/11/2017

0	ISSUED FOR TENDER		MAR 18	
Α	ISSUED FOR REVIEW		FEB 20	
NO.	REVISION		DATE	APP.
	·	BY	CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DRA	WN	J.H.	A.D.	JAN 18
APP	ROVED ISSUE FOR:		•	MAR 18
A DD	DOVED :	•		

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED COPYRIGHT ON THIS DRAWING IS RESERVED

CLIENT



PROJECT

**WAITANGI STREAM REMEDIATION AND EROSION PROTECTION** 

TITLE:


STREAM **WORKS PLAN** 





evel 4, PDP House, 235 Broadway, Newmarke CO. Box 9528, Auckland 1149, New Zealand. elephone: (09) 523 6900 Fax: (09) 523 6901

	SCALE 1:200	(A3)	SHEET: OF:
_	PROJECT NO. :	DRAWING NO. :	REVISION:
	T01552501	102	0
	FILED: T01552501D100.dwg		



- NOTES .

  1. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
  2. LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- 3. LEVEL DATUM: MOTURIKI 1953 4. THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING ANY EXCAVATION.
- GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING
- STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm. ALL GABIONS TO BE GALFAN AND PVC COATED.
- ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.
- TWL IS INDICATIVE WATER LEVEL FOR A 20 YEAR ARI DESIGN FLOW INCLUDING ALLOWANCE FOR CLIMATE CHANGE EFFECTS

0	0 ISSUED FOR TENDER		MAR 18	
Α	A ISSUED FOR REVIEW		FEB 21	
NO.	O. REVISION		DATE	APP.
		BY	CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DRAWN		J.H.	A.D.	JAN 18
APPROVED ISSUE FOR:				MAR 18
APPROVED :				

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED

CLIENT:



PROJECT


WAITANGI STREAM **REMEDIATION AND EROSION PROTECTION** 

TITLE:

**CROSS SECTIONS 1** 



SCALE 1:75	(A3)	SHEET: OF:
PROJECT NO.:	DRAWING NO.:	REVISION:
T01552501	201	0
FILED: T01552501D200.dwg		



- NOTES .

  1. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
  2. LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- LEVEL DATUM: MOTURIKI 1953
- 4. THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE
- ACCURATE.

  THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION
  AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING
  ANY EXCAVATION.
- GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING
- STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm. ALL GABIONS TO BE GALFAN AND PVC COATED.
- ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.
- TWL IS INDICATIVE WATER LEVEL FOR A 20 YEAR ARI DESIGN FLOW INCLUDING ALLOWANCE FOR CLIMATE CHANGE EFFECTS

0 ISSUED FOR TENDER MAR 18 A ISSUED FOR REVIEW FEB 22 NO. REVISION DATE APP. BY CHECKED DATE D.G.G. DESIGNED A.D. JAN 18

# APPROVED:

APPROVED ISSUE FOR :

DRAWN

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED COPYRIGHT ON THIS DRAWING IS RESERVED

J.H.

A.D.

JAN 18

MAR 18

CLIENT:



PROJECT

WAITANGI STREAM **REMEDIATION AND EROSION PROTECTION** 

TITLE:

**CROSS SECTIONS 2** 







PATTLE DELAMORE PARTNERS LTD

Level 4, PDP House, 235 Broadway, Newmarke P.O. Box 9528, Auckland 1149, New Zealand. Telephone: (09) 523 6900 Fax: (09) 523 6901

SHEET SCALE 1:75 (A3) PROJECT NO. REVISION 202 0 T01552501 FILED: T01552501D200.dwg





SECTION G SCALE 1:75 101 SCALE 1:75

# NOTES:

- 1. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
  2. LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- LEVEL DATUM: MOTURIKI 1953
   THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR
- THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE.

  5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING ANY EXCAVATION.

  6. GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm.

  7. ALL GABIONS TO BE GALFAN AND PVC COATED.

  8. ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.

0	0 ISSUED FOR TENDER		MAR 18	
Α	A ISSUED FOR REVIEW		FEB 24	
NO.	REVISION		DATE	APP.
		DV.	0.10.50	7
		BY	CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DES	_			
DRA	_	A.D.	D.G.G.	JAN 18

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED COPYRIGHT ON THIS DRAWING IS RESERVED

CLIENT :



PROJECT:

WAITANGI STREAM REMEDIATION AND **EROSION PROTECTION** 

TITLE:

**CROSS SECTIONS 4** 






PATTLE DELAMORE PARTNERS LTD Level 4, PDP House, 235 Broadway, Newmarket, Auckland P.O. Box 9528, Auckland 1149, New Zealand. Telephone: (09) 523 6900 Fax: (09) 523 6901

Auckland Tauranga Wellington Christchurch

(A3)	SHEET : OF :
DRAWING NO. :	REVISION:
204	0
	DRAWING NO. :



DROP STRUCTURE SECTION (H)

SCALE 1:75 101

NOTES:

- NOTES .

  ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.

  LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- LEVEL DATUM: MOTURIKI 1953
   THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION
  AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING
  ANY EXCAVATION.
- ANY EXCAVATION.

  G. GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm.

  ALL GABIONS TO BE GALFAN AND PVC COATED.
- ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.
- TWL IS INDICATIVE WATER LEVEL FOR A 20 YEAR ARI DESIGN FLOW INCLUDING ALLOWANCE FOR CLIMATE CHANGE EFFECTS.

0	0 ISSUED FOR TENDER		MAR 18	
Α	ISSUED FOR REVIEW		FEB 25	
NO.	REVISION		DATE	APP.
	BY		CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DRA	AWN	J.H.	A.D.	JAN 18
APP	APPROVED ISSUE FOR:			MAR 18

APPROVED:

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED

CLIENT



PROJECT

WAITANGI STREAM REMEDIATION AND **EROSION PROTECTION** 

TITLE:


DROP STRUCTURE **SECTION** 






PATTLE DELAMORE PARTNERS LTD Level 4, PDP House, 235 Broadway, Newmarket, Auckland P.O. Box 9528, Auckland 1149, New Zealand. Telephone: (09) 523 6900 Fax: (09) 523 6901


SCALE 1:50	(A3)	SHEET: OF:		
PROJECT NO. :	DRAWING NO.:	REVISION:		
T01552501	205	0		
FILED: T01552501D200.dwg				



SCALE N.T.S




DETAIL 2 TYPICAL PIPE DETAIL SCALE 1:20



**DETAIL** 

**CULVERT HEADWALL DETAIL** 

SCALE 1:50



102 **CULVERT HEADWALL DETAIL** SCALE 1:50

# NOTES:

- NOTES .

  ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.

  LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- LEVEL DATUM: MOTURIKI 1953
   THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE
- ACCURATE.

  5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING ANY EXCAVATION.
- G. GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING
- STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm. ALL GABIONS TO BE GALFAN AND PVC COATED.
- ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.

0	0 ISSUED FOR TENDER		MAR 18	
Α	ISSUED FOR REVIEW		FEB 26	
NO.	REVISION		DATE	APP.
		BY	CHECKED	DATE
DES	SIGNED	A.D.	D.G.G.	JAN 18
DRAWN		J.H.	A.D.	JAN 18
APPROVED ISSUE FOR:				MAR 18
APPROVED :		•		

THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED

CLIENT :



PROJECT :

WAITANGI STREAM **REMEDIATION AND EROSION PROTECTION** 

TITLE:

STANDARD DETAILS






PATTLE DELAMORE PARTNERS LTD

Level 4, PDP House, 235 Broadway, Newmarket, Auckland P.O. Box 9528, Auckland 1149, New Zealand. Telephone : (09) 523 6900 Fax : (09) 523 6901 Auckland Tauranga Wellington Christchurch

SCALE AS SHOWN (A3)		SHEET : OF :
PROJECT NO.:	DRAWING NO.:	REVISION:
T01552501	206	0





LONG SECTION SCALE 1:200

# NOTES:

- 1. ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
  2. LEVEL DATA BASED ON TOPOGRAPHICAL SURVEY CARRIED OUT BY SURVEY ONE LIMITED ON 13th NOVEMBER 2017.
- LEVEL DATUM: MOTURIKI 1953
   THE IDENTITY AND LOCATION OF ANY SERVICES SHOWN ON THIS DRAWING CANNOT BE GUARANTEED TO BE COMPLETE OR ACCURATE
- AUCURATE.

  THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL SERVICES PRIOR TO UNDERTAKING ANY EXCAVATION.
- S. GABIONS TO BE INSTALLED ACCORDING TO MANUFACTURERS INSTRUCTIONS. ALL JOINING TO BE CARRIED OUT USING STAINLESS STEEL RINGS AT MINIMUM SPACING 150mm.
  ALL GABIONS TO BE GALFAN AND PVC COATED.
- ALL GABIONS TO BE WRAPPED IN BIDIM A44 GEOTEXTILE. ALL RIP RAP TO BE UNDERLAIN BY BIDIM A44 GEOTEXTILE.
- TWL IS INDICATIVE WATER LEVEL FOR A 20 YEAR ARI DESIGN
  FLOW INCLUDING ALLOWANCE FOR CLIMATE CHANGE EFFECTS

0	ISSUED FOR TENDER		MAR 18			
Α	ISSUED FOR REVIEW		FEB 27			
NO.	REVISION		DATE	APP.		
		BY	CHECKED	DATE		
DESIGNED A.D.		A.D.	D.G.G.	FEB 18		
DRA	.WN	J.H.	A.D.	FEB 18		
APP	ROVED ISSUE FOR:	MAR 18				
APPROVED :						
TH	THIS DRAWING IS NOT FOR CONSTRUCTION UNLESS SIGNED AS APPROVED					
COPYRIGHT ON THIS DRAWING IS RESERVED						

CLIENT :



PROJECT :

WAITANGI STREAM REMEDIATION AND **EROSION PROTECTION** 

TITLE:

LONG SECTION





PATTLE DELAMORE PARTNERS LTD

Level 4, PDP House, 235 Broadway, Newmarket, Auckland P.O. Box 9528, Auckland 1149, New Zealand. Telephone: (09) 523 6900 Fax: (09) 523 6901 Auckland Tauranga Wellington Christchurch

SCALE 1:200	(A3)	SHEET : OF :
PROJECT NO.:	DRAWING NO.:	REVISION:
T01552501	207	0
FILED : T01552501D200 dwg		